

Tanzania 14th December 2000 to 9th January 2001

David B. Collinge dbc@kvl.dk (some pictures by Brita Dahl Jensen)

See also report from 2004 on this website (www.netfugl.dk) (and also Kenya 2004-5)

Report in 3 parts: part 2

1. Arusha area 14th December 2000 to 9th January 2001 & Morogoro and Loshoto 4th to 8th January 2001
2. **Northern circuit safari, Tarangire, Lake Manyara, Serengeti & Ngoronogoro 21st to 27th December**
3. Practical information

Tarangire



The difference the rains can make. Photos from November (Brita) and December (David) 2000 from the Tarangire tented safari lodge. There are more mammals in the dry season!

Baobabs are prominent at Tarangire.

See 2004 report for more pictures.

Brita arranged for us to hire Leonard, one of the MS-TCDC drivers, to take us to Tarangire NP. This was a round trip of some 300 Km from Usa River. We set off at 7:30 and were home again 12h later. There is little opportunity to walk in the parks; we stopped at one picnic site overlooking a river, only to have the car invaded by Vervet Monkeys, one of which bit through John's water bottle but fortunately failed to find our lunch. Leonard is an enthusiastic and knowledgeable guide who found about 15 species of mammal for us. Memorable moments were captured on film. The buzz of the insects and drone of the motor was only interrupted by the whir of the camera motors. Highlights were the elegant giraffes and marvellous elephants strolling purposely across the savannah with its magnificent baobab trees. Near lunchtime we came across a troupe of baboons, which suddenly started to fight. One of the large males stole some food from a

younger animal who was not pleased. We stopped at the Tarangire Safari Lodge for an afternoon coke, to peruse the view. In the late afternoon, a storm developed and a herd of elephants made a dramatic sight against the light. A truly memorable day.

If you only have a few days to visit parks, then this should be high on your list. It represents a different geographical area than the Serengeti corridor, with a number of species not found in the Serengeti (or Kenya), such as Tsetse flies ☹. You should try to stay overnight at the tented camp. I would like to have spent longer there, and we did not have time to get to the swampy region in the south of the park which is reputedly very rich in birdlife, but at 85 spp. in a day, we didn't complain (I achieved all the above in 2004). I think this would be a feasible trip to arrange by oneself (Leonard had worked as a safari driver for some years, so he was not an amateur), rather than using a safari company. Perhaps the tourist office in Arusha could help.

Ostrich (3), Cattle Egret, Little Egret, Goliath Heron, Grey Heron, Black-headed Heron, Hamerkop, Saddle-billed Stork, Marabou Stork, Egyptian Goose, Black Kite, Secretarybird, African Fish Eagle, African White-backed Vulture, Rüppell's Vulture, Montagu's Harrier, Eastern Chanting-Goshawk, African Harrier-Hawk, Augur Buzzard, Steppe Eagle, Tawny Eagle, Bateleur, Lesser Kestrel, Pygmy Falcon, Tufted (Helmetted) Guinea Fowl, Yellow-necked Spurrow, RED-NECKED SPURFOWL, White-bellied Bustard, Blacksmith Lapwing, Crowned Lapwing, SENEGAL LAPWING, Ruff, Wood Sandpiper, Green Sandpiper, Greenshank, Black-faced Sandgrouse, Speckled Pigeon, African Olive-Pigeon, Namaqua Dove, Ring-necked Dove, Yellow-collared Lovebird, White-bellied Go-away-bird, Great Spotted Cuckoo, White-browed Coucal, Little Swift, White-rumped Swift, African Palm-Swift, WOODLAND KINGFISHER, Little Bee-eater, Lilac-breasted Roller, Red-billed Hornbill, VON DER DECKEN'S HORNBILL, Southern Ground-Hornbill, Singing , (Bush) Lark, Fischer's Sparrow-Lark, Plain Sand Martin, Red-rumped Swallow, Mosque Swallow, Lesser Striped-Swallow, Swallow, African Pied Wagtail, Common Bulbul, ROCK THRUSH, (Northern) Wheatear, Isabelline Wheatear, RED-BACKED SCRUB-ROBIN, Winding Cisticola, Common Fiscal, Long-tailed Fiscal, Magpie Shrike, Northern White-crowned (White-rumped) Shrike, Pied Crow, ASHY STARLING, Superb Starling, Wattled Starling, Chestnut Sparrow, White-headed Buffalo-Weaver, Red-billed Buffalo-Weaver, Lesser Masked Weaver, Chestnut Weaver, Red-cheeked Cordonbleu, Red-billed Firefinch, Kenya Yellow-rumped Seedeater,

Vervet Monkey, Olive Baboon, Stripped Ground Squirrel, Banded Mongoose, Lion, African Elephant, Rock Dassie (Hyrax), Burchell's Zebra, Wart Hog, Giraffe, Waterbuck, Kirk's Dik-dik, Impala

Lake Manyara

The first day of the trip took us from Arusha to the campsite at Lake Manyara. The day started slowly as there had been a power cut in Arusha the day before, so it was difficult to get going. So we didn't get going until after 10 though we did have the opportunity to see the market in Arusha. The first 80 Km of road to Makiyuni is excellent. Then the safari

road starts (see safari pictures). Approx 200 Km to Seronera in the Serengeti on a double track potholed dirt track (this has been tarmaced since 2003). We arrived after 40 Km on this at the Lake Manyara National Park entrance at 12:30. After the formalities (which take some time) we set up camp, had lunch, a stroll (where we saw a vast flock of White Pelicans soaring against the rim of the Rift Valley, then went for the first game drive. So the day didn't really start until 14:30!



The Lake Manyara setting is marvellous. This is a soda lake in the bottom of the rift valley and the place is dominated by the rift escarpment towering above in a "straight" line as far as the eye can see. I have seen more spectacular cliffs elsewhere, but you get the feeling of being at the edge of two continents here. The escarpment provides the water for the forest: masses of spring water seeps out of the ground. The habitat is a mixture of fairly mature (presumably primary) forest, more open savannah gallery woodland, and the lake shore area. The drive yielded some 50 spp. of birds. Highlights included close views of Ground Hornbills, my first Lesser Flamingos (though there were not very many compared to the Ngorongoro Crater), White Pelicans and various waders. But of course the highlights of the trip were the mammals. We left the reserve late afternoon and drove up the escarpment rim to see the view (over a beer at the lodge) in a spectacular thunderstorm. We returned to the campsite well after dark. A genet visited us while at the campfire. It circled all the way round the camp, at about 50m.

A troupe of baboons visited us at breakfast time and we struck camp just before it started to rain seriously. The road to Ngorongoro ascends the escarpment and deteriorates. It is only 20-30 Km to the Lodoare gate, but this took 3hr as two lorries blocked the road about 10 Km west of the park (see safari pictures). We had a short break at Keratu where we were due to spend the last night.

WHITE PELICAN, Cattle Egret, Little Egret, Black-headed Heron, Yellow-billed Stork (Wood Ibis) 200, Marabou Stork, Sacred Ibis, African Spoonbill, Greater Flamingo, Lesser Flamingo, Egyptian Goose, African White-backed Vulture, Lappet-faced Vulture, Dark Chanting Goshawk, Hobby, Tufted (Helmetted) Guinea Fowl, Grey Crowned-Crane, Blacksmith Lapwing, Kittlitz's Plover, CHESTNUT-BANDED PLOVER, Common Sandpiper, Wood Sandpiper, Little Stint, Grey-headed Gull, Speckled Pigeon, TAMBOURINE DOVE, Ring-necked Dove, Dusky Turtle-Dove, Brown (Meyer's) Parrot, Fischer's Lovebird, White-bellied Go-away-bird, Little Swift (100), White-rumped Swift, African Palm-Swift, Blue-naped Mousebird, Grey-headed Kingfisher, Little Bee-eater, ROLLER, Abyssinian Scimitar-bill, African Grey Hornbill, CROWNED

HORNBILL, Silvery-cheeked Hornbill, Southern Ground-Hornbill, D'Arnaud's Barbet, GOLDEN-TAILED WOODPECKER, WHITE-TAILED LARK, Red-rumped Swallow, Mosque Swallow, Lesser Striped-Swallow, Wire-tailed Swallow, Common Bulbul, White-browed Robin-Chat, BLACKCAP, Red-faced Crombec, Banded (Parisoma) Warbler, CROAKING CISTICOLA, GREEN-BACKED CAMAROPTERA, Large (African Grey) Flycatcher, MARIQUA SUNBIRD, Common Fiscal, ISABELLINE (RUFIOUS-TAILED) SHRIKE, Magpie Shrike, Brubru, Northern White-crowned (White-rumped) Shrike, Pied Crow, Red-billed Oxpecker, Superb Starling, Wattled Starling, Swahili Sparrow, Village (Black-headed) Weaver, BLACK-NECKED WEAVER, Speke's Weaver, Baglafaecht Weaver, RED BISHOP, Red-billed Firefinch, African Citril, White-bellied Canary, Kenya Yellow-rumped Seedeater

Blue Monkey, Olive Baboon, Large-spotted Genet, Marsh Mongoose, African Elephant, Burchell's Zebra, Wart Hog, Hippopotamus, Giraffe, Bushbuck, African Buffalo, Kirk's Dik-dik, Impala

Serengeti

The sheer numbers of mammals and birds in the park have to be experienced to be believed. Also the size of the area at 14500 Km². So one cannot hope to see all the habitats in a typical 48h visit. We spent all the Game Drive time in the Seronera Lodge area in the centre of the park, presumably within 15-20 Km of the lodge, but that is very difficult to estimate. Seronera is about 80 Km of rolling open grass plains from the southern entrance from the NCA. The river itself is not much more than a stream with water (hippo) holes and is lined with trees, mainly open Acacias (like Tarangire) and Sausage Trees (name) but no baobabs. The area closest to the lodge (within 5-10 Km) is mainly open Acacia woodland. There are hills about 10 Km to the west over open grassland. The undulates are spread through the woodland, the open grassland is less populated, except by a large buffalo, Koris and Ostriches. We had no influence over the route taken – George had many years experience of driving in the area and picked an excellent route through very varied habitat. He had driven for Ornitholidays many years ago, so he as sensitive to the needs of a fanatical birder.

23/12 from Ngorongoro to Seronera

We reached the (unmanned) Serengeti gate from Ngorongoro at 2, and the Naabi Hill gate (for Check in, park fees etc) at 14:30 where we had lunch. The half hour's drive was through a steady stream of migrating Gnus, Zebra and Gazelles. There was a fine view with the telescope from the top of the hill (perhaps 150 m above the plain) over the southern plains which we had just passed through. This included thousands of migrating beasts, 2 lions and a few hyenas. The other way, where we were about to go the grass was longer – and apparently devoid of beasts. This landscape was not as flat, and was interrupted by Kopjes - ancient granite extrusions from the plain. There was often a Falcon perched on these. Individuals identified were Great and Grey Kestrels. One large pond was passed which yielded Northern Shoveller, Stilt, Caspian Plover and Gull-billed Tern. Mammals were sparse but included Hartebeest and a Marsh Mongoose. We arrived

at the campsite, dumped Ephraim with the gear and went on a game drive along the Seronera River area. This area is open Acacia woodland and very rich in wildlife. Lots of Topi, Waterbuck, a pond with Hippos, Giraffes, Elephants, Buffalo etc etc. We finished off with a drink at the Seronera Lodge which is built into a Kopje and the terrace overlooks Acacias filled with beasts. Very decadent. We returned to the campsite after dark where Ephraim had a fire going and had excellent food waiting for us. During the night (which George, our driver spent in the car for some obscure reason) the pans were rattled by a hyena, and at 3 am, two lions roared, fairly close, one to each side of the tents. The weather was cloud all day, though we had some sun on the drive from Naabi to Seronera.

24/12 Seronera area

We were driven around round the Seronera River area for a couple of hours and found a leopard at 10. Leopards are generally found by spotting a congregation of safari vehicles; the impression is that only one trip in 3 sees a leopard. The drivers talk to and guide each other. My guess is that there were about 50 vehicles in the area and we saw up to 10 at the first Leopard (see pictures). We found a second Leopard at about 12. Oddly there were only a few vehicles here. This leopard was actually hunting, though apparently not successfully as far as we know. We came to the visitor centre around 13 where it would seem that some lions had made a kill judging by the activity from the hyenas, vultures and marabous. We then returned to campsite where lunch was ready and everything was packed. In the afternoon George drove us into more open savannah round the Wadandu circuit. This was rich in eagles. Suddenly a movement about 500 m away caught my eye. Two cheetahs were hunting. We had rather good views of these beautiful animals! We finished at the lodge at dusk.

25/12 from Seronera to the NCA

Our plans changed radically on 25/12 as John had severe food poisoning caused by barbecue chicken eaten at the Seronera Lodge. (Only guests who had the chicken were affected, Brita and I had stuck to the lamb). So we had a game drive initially through the Seronera riverine forest, then across the savannah through the buffalo and on the Mayamaya River circuit to while he was waiting to see a doctor. So we had a chance to see the same leopard in the same tree, this time with a distended belly. John partly sorted out, we left for Naabi arriving there at about 13:00, and left the park for Ngorongoro at 14:45.



A flock of banded mongeese pass through the Seronera visitor centre



Spot the leopard!



Brita – left – talking to the Hyraxes – right

Images from the Serengeti



Wattled starlings



Ostrich, Cattle Egret, Little Egret, Striated (Little) Heron, Intermediate (Yellow-billed) Egret, Goliath Heron, Black-headed Heron, White Stork, Saddle-billed Stork, Marabou Stork, Egyptian Goose, COMB (KNOB-BILLED) DUCK, Red-billed Duck, SHOVELER, Secretarybird, (Common) Black-shouldered Kite, African White-backed Vulture, Lappet-faced Vulture, WHITE-HEADED VULTURE, Bateleur, PALLID HARRIER, Montagu's Harrier, Marsh Harrier, Gabar Goshawk, Dark Chanting Goshawk, Tawny Eagle, Steppe Eagle, Martial Eagle, Pygmy Falcon, Greater Kestrel, GREY KESTREL, Lesser Kestrel, Grey-breasted Spurfowl, Tufted (Helmetted) Guinea

Fowl, BLACK CRAKE, Crested (Red-knobbed) Coot, Grey Crowned-Crane, Kori Bustard, White-bellied Bustard, Black-bellied Bustard, Black-winged Stilt, WATER THICK-KNEE, DOUBLE-BANDED COURSER, Blacksmith Lapwing, Crowned Lapwing, Wattled Lapwing, THREE-BANDED PLOVER, CASPIAN PLOVER, Little Stint, Greenshank, Wood Sandpiper, Grey-headed Gull, Black-headed Gull, Gull-billed Tern, WHITE-WINGED BLACK TERN, Namaqua Dove, Mourning Collared-Dove, Ring-necked Dove, Brown (Meyer's) Parrot, Fischer's Lovebird, Great Spotted Cuckoo, White-browed Coucal, BLACK COUCAL, Mottled Swift, White-rumped Swift, Little Swift, Blue-naped Mousebird, Grey-headed Kingfisher, Little Bee-eater, Lilac-breasted Roller, Abyssinian Scimitar-bill, African Grey Hornbill, RED-FRONTED BARBET, D'Arnaud's Barbet, Green-backed Woodpecker, Rufous-naped Lark, Fischer's Sparrow-Lark, African (Grasslands) Pipit, PLAIN-BACKED PIPIT, Red-throated Pipit, BUSH PIPIT, Yellow-throated Longclaw, BANDED MARTIN, Wire-tailed Swallow, Swallow, Mosque Swallow, Lesser Striped-Swallow, Rock Martin, Common Bulbul, White-browed Robin-Chat, (Northern) Wheatear, Pied Wheatear, Isabelline Wheatear, Capped Wheatear, MOCKING CLIFF-CHAT, SILVERBIRD, ICTERINE WARBLER, Willow Warbler, STOUT CISTICOLA, RATTLING CISTICOLA, Fan-tailed Warbler (Zitting Cisticola), GREY-CAPPED WARBLER, GREENCAP EREMOMELA, BROWN WARBLER, Banded (Parisoma) Warbler, Chinspot Batis, Northern White-crowned (White-rumped) Shrike, Magpie Shrike, GREY-BACKED FISCAL, Common Fiscal, BLACK-HEADED TCHAGRA (BUSH SHRIKE), SLATE-COLORED BOUBOU, Fork-tailed Drongo, White-necked Raven, Red-winged Starling, GREATER BLUE-EARED GLOSSY-STARLING, RUEPPELL'S GLOSSY-STARLING, Superb Starling, Wattled Starling, Red-billed Oxpecker, Yellow-billed Oxpecker, Chestnut Sparrow, White-headed Buffalo-Weaver, Red-billed Buffalo-Weaver, GREY-HEADED SOCIAL-WEAVER, SPECKLE-FRONTED WEAVER, Southern (Vitelline) Masked-Weaver, Lesser Masked Weaver, Speke's Weaver, WHITE-WINGED WIDOWBIRD, Red-cheeked Cordonbleu, Bronze Munia, White-bellied Canary

Vervet Monkey, Olive Baboon, Golden (Common) Jackal, Common Genet, Banded Mongoose, Dwarf Mongoose, Marsh Mongoose, Spotted Hyena, Leopard, Lion, Cheetah, African Elephant, Rock Dassie (Hyrax), Bush (Grey - Yellow-spotted) Hyrax, Burchell's Zebra, Wart Hog, Hippopotamus, Giraffe, Bushbuck, African Buffalo, Waterbuck, Topi, Bubal Hartebeest, White-bearded Wildebeest, Kirk's Dik-dik, Impala, Grant's Gazelle

Ngorongoro

NCA in transit

The second day of the trip (23/12-01) took us from Lake Manyara to the Serengeti. It took 2½ h to drive through the NCA (Ngoronogoro Conservation Area), with a short stop on the crater rim at the descent road. Our initial impression was frustration and disappointment since the we drove up into the cloud from the Lodoare gate and did not see the crater until we reached the descent road on the north west corner (the cloud lifted a little). A view over the crater with the telescope yielded 6 rhinos, some elephants and Buffalo, and a Verreaux's Eagle floated overhead. We descended to the Serengeti Plain

and passed Olduvai Gorge, where 4 Maasai displayed the dark costumes and painted faces of the initiation ceremony. We did not stop. Beyond Olduvai Gorge the terrain flattened and the vegetation changed from the Acacia woodland which we had driven through from the crater to open grassland. The animal life changed from small herds of zebra and a liberal sprinkling of Giraffes (with plenty of Maasai tending goats and cattle) to large herds of Wildebeest, Zebra and Gazelles. Bird life included the first huge Kori Bustard and some Sandgrouse. We left the NCA and entered the Serengeti knowing we would be back two days later.

Serengeti Plain and Olduvai Gorge

We returned to the NCA from the Serengeti on 25/12 in the afternoon. We drove to the Olduvai Gorge visitor centre and had a trip down into the gorge. It is something of a pilgrimage, especially as a geneticist, to visit this place where so many early human fossils were found (several hundred finds), and to see nearly 2 million year old mammalian bones emerging from the rock face. This was the first walk for 3 days as walking anywhere in the Serengeti is strictly prohibited. I wonder why? (:- We continued from here to the crater lodge where we were to spend the next two nights. Ngorongoro Crater 26 - 27/12



Crater sights

The view of the crater (Ngorongoro) is breathtaking (above left) and very different from the Sopa lodge – see the report from 2004. We spent an hour on the terrace just watching the sun come up. A reminder: the caldera is 20 Km across and 600 m down to the floor, i.e. some 400 Km² in area. Unfortunately, John was still ill and stayed on the terrace for much of the time, so Brita and I had the day to ourselves. First we arranged for guided walks at Odeani and Olmoti, and to extend the stay in the park - a long-winded process. This meant that we had two descents to the crater. One on 26/12, from about 10:00 to 13:00, and a second, with John on 27/12 from about 7 am to 10:00. Apart from the lighting, these tours were very different since there is such a vast area to choose to drive in. The first trip took in a number of small ponds with ducks and waders, a buff with lions, the lake shore, with its flamingos and some lush grassland. The second tour took in the Acacia woodland and approached the lake from the other side before we set off for the far side of the crater, which is more hilly and Sopa lodge.

Walking in the hills 26 - 27/12

Ngorongoro offers rich opportunities for walking. There is a leaflet available from the tourist office, but the safari companies seem to be largely unaware of the possibilities.

These are arranged from the tourist office in the crater village. We did this in the morning of the 26th. So after lunch we returned to the office and picked up an armed ranger and finally set off for Odeani at about 15:00. We probably walked about 12 Km initially on a track, then on Maasai cattle paths passing through Bomas with fine views (through patchy cloud) of Lake Eyasi through patchy cloud. We turned back after 90 minutes just where the path entered woodland, but time was running out, and we needed to return by dark. We saw two waterbuck and walked within 100m of 4 ostrich, two pairs. This was much more interesting than seeing them from a vehicle, and it gave me a chance to get to grips with a lots of small birds including Pectoral Patch Cisticola. The final part of the walk was in the twilight, with calling Quail. We finished the evening with a beer with George and Ephraim when we learnt that “Masha marefu” means “cheers”. Wildebeest stew for dinner (we had barbecued Topi and Warthog the night before).

After the game drive in the crater on the morning of the 27th we ascended the crater rim near the Sopa Lodge. There were no rangers at the gate so we had to drive to the Sopa Lodge to confirm the permit for trekking. Not possible, but we enjoyed the view over the swimming pool and white-necked ravens. This is also a fine setting but not as interesting a view as from the wildlife lodge where we had stayed since the floor of the crater is hillier here, thus lacking the lake and the open Acacias which give such an interesting view in the early morning light. We drove on from the Sopa Lodge to the village of Nainokanoka where there was a problem in getting a ranger with a gun. Eventually we set off up to the Olmoti crater at a brisk pace accompanied by a ranger, and two Maasai, one of whom spoke good English. He had taken an English O level and worked a bit as a trekking guide. His ambition was to return to village to look after his family herds. We were all a little out of breath when we reached the summit – at 3500 m. We descended to the waterfall, which was not much really but a nice setting. Lots of fine wild flowers and a little taster of high altitude. A Peregrine was a little unexpected. We left the area just after 13:00. We then skated (it was raining) along the crater rim for the main gate which we reached 30 minutes before our (official and unofficially extended) deadline.

The moral of this is that if you want to have more than a couple of hours walking you need to be patient and arrange a trip with a specialist trekking company, which is not cheap. It is frustrating to be driven everywhere when you used to walking. It is also strange to be guided everywhere by an armed guard, but when there are herds of buffalo and hyenas on the roads, one understands the reason for this. It also puts money into the economy.

Ostrich, PINK-BACKED PELICAN, BLACK-CROWNED NIGHT HERON, Cattle Egret, Great White Egret, Grey Heron, Black-headed Heron, Hamerkop, White Stork, ABDIM'S STORK, Black Stork, Marabou Stork, Sacred Ibis, GLOSSY IBIS, African Spoonbill, Greater Flamingo, Lesser Flamingo, Egyptian Goose, SPUR-WINGED GOOSE, Red-billed Duck, Hottentot Teal, Cape Teal, YELLOW-BILLED DUCK Black/yellow-billed Kite, African Fish Eagle, Rüppell's Vulture, Lappet-faced Vulture, Marsh Harrier, Montagu's Harrier, Dark Chanting Goshawk, Augur Buzzard, Steppe Eagle, Mountain Buzzard, Tawny Eagle, Verreaux's Eagle, Martial Eagle, Greater Kestrel, Hobby, Peregrine Falcon, Tufted (Helmetted) Guinea Fowl, Yellow-necked

Spurfowl, Quail, Crested (Red-knobbed) Coot, Grey Crowned-Crane, Kori Bustard, Black-bellied Bustard, Black-winged Stilt, Blacksmith Lapwing, Wattled Lapwing, Crowned Lapwing, BLACK-WINGED LAPWING, Kittlitz's Plover, RINGED PLOVER, Ruff, Common Sandpiper, Greenshank, Little Stint, CURLEW SANDPIPER, Grey-headed Gull, Black-headed Gull, Gull-billed Tern, WHISKERED TERN, Black-faced Sandgrouse, CHESTNUT-BELLIED SANDGROUSE, YELLOW-THROATED SANDGROUSE, Mourning Collared-Dove, Dusky Turtle-Dove, White-browed Coucal, Little Swift, Mottled Swift, Swift, NARINA TROGON, RUFOUS-CROWNED ROLLER, Green Woodhoopoe, Green-backed Woodpecker, Rufous-naped Lark, FLAPPET LARK, FAWN-COLORED LARK, Short-tailed Lark, Fischer's Sparrow-Lark, Red-rumped Swallow, Swallow, YELLOW/BLUE-HEADED WAGTAIL, Yellow-throated Longclaw, African (Grasslands) Pipit, LONG-BILLED PIPIT, Red-throated Pipit, Common Bulbul, NORTHERN ANTEATER-CHAT, African Stonechat, Capped Wheatear, SCHALOW'S WHEATEAR, Pied Wheatear, REDSTART, Red-faced Crombec, PECTORAL-PATCH CISTICOLA, Fan-tailed Warbler (Zitting Cisticola), Winding Cisticola, Tawny-flanked Prinia, Southern Black-Flycatcher, ARROW-MARKED BABBLER, AFRICAN YELLOW WHITE-EYE, Golden-winged Sunbird, Eastern Double-collared Sunbird, Variable Sunbird, Common Fiscal, CAPE CROW, ite-necked Raven, Yellow-billed Oxpecker, Red-billed Oxpecker, Red-winged Starling, Superb Starling, Chestnut Sparrow, Swahili Sparrow, Red-billed Buffalo-Weaver, Southern (Vitelline) Masked-Weaver, Baglafaecht Weaver, JACKSON'S WIDOWBIRD, RED-COLLARED WIDOWBIRD, Red-billed Firefinch, Bronze Munia, African Citril, White-bellied Canary, Thick-billed Seedeater, STREAKY SEEDEATER, CINNAMON-BREASTED BUNTING

Blue Monkey, Vervet Monkey, Olive Baboon, SCRUB HARE, BLACK (SILVER)-BACKED JACKAL, Golden (Common) Jackal, Spotted Hyena, Lion, African Elephant, Burchell's Zebra, BLACK RHINOCEROS, Wart Hog, Hippopotamus, Giraffe, ELAND, African Buffalo, BOHOR REEDBUCK, Bubal Hartebeest, White-bearded Wildebeest, Kirk's Dik-dik, THOMPSON'S GAZELLE, Grant's Gazelle

English name	Latin name	Danske navne	Tarangire	Manyara	Ngornongoro	Serengeti
Ostrich	<i>Struthio camelus</i>	Afrikansk Struds	21/12 3		flocks of up to 25, Serengeti and crater floor	many flocks of up to 20
White Pelican	<i>Pelecanus onocrotalus</i>	Almindelig Pelikan		22/12 about 200 soaring along the rift escarpment		
Pink-backed Pelican	<i>Pelecanus rufescens</i>	Rødrygget Pelikan			27/12 single	
Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	Nathejre			26/12 crater floor approx 10	
Cattle Egret	<i>Bubulcus ibis</i>	Kohejre	21/12 E 20 & SW of Arusha; Makiyuni 50	22/12 Mto-Wa-Mbu 20; 27/12 30	27/12 crater floor 300	25/12
Little Egret	<i>Egretta garzetta</i>	Silkehejre	21/12 Makiyuni 2	22/12 Mto-Wa-Mbu 4		24/12 Seronera
Black Heron	<i>Egretta ardesiaca</i>	Skyggehejre				
Striated (Little) Heron	<i>Butorides striatus</i>	Mangrovehejre				23/12 Seronera
Intermediate (Yellow-billed) Egret	<i>Mesophoyx (Egretta) intermedia</i>	Mellemhejre				25/12 5 23/12 Seronera and 25/12
Goliath Heron	<i>Ardea goliath</i>	Kæmpehejre	21/12 3			
Black-headed Heron	<i>Ardea melanocephala</i>	Fiskehejre	21/12	22/12 18	26/12 crater floor; 27/12 crater floor 2 & rim 4	up to 12 a day
Abdim's Stork	<i>Ciconia abdimii</i>	Abdimstork			26/12; 27/12 crater floor single	
Marabou Stork	<i>Leptoptilos crumeniferus</i>	Marabustork	21/12 35	22/12 Mto-Wa-Mbu breeding colony	23/12 4; common in crater	common e.g. 10 near lion kill at visitor centre
Yellow-billed Stork (Wood Ibis)	<i>Mycteria ibis</i>	Skovstork		22/12 approx 200 flew in		
Sacred Ibis	<i>Threskiornis aethiopicus</i>	Hellig Ibis		22/12 Mto-Wa-Mbu	26/12 crater floor; 27/12 crater floor 20	
African Spoonbill	<i>Platalea alba</i>	Afrikansk Skestork		22/12 2	singles, max 4	

Greater Flamingo	<i>Phoenicopterus roseus</i>	Stor Flamingo		22/12 20	Perhaps 10% of the flamingos	
Lesser Flamingo	<i>Phoenicopterus minor</i>	Lille Flamingo		22/12 4	The vast majority of the flamingos: 20000? Pure gu	
Spur-winged Goose	<i>Plectropterus gambensis</i>	Sporegås			26/12 crater floor 3; 27/12 crater floor 3	
Egyptian Goose	<i>Alopochen aegyptiacus</i>	Nilgås	21/12 nr. Arusha 4; Tarangire 2	22/12 4 near Mto-Wa-Mbu; 20 by lake	Crater floor common	common
Comb (knob-billed) Duck	<i>Sarkidiornis melanotos</i>	Knobgås				24/12 8; 25/12 2
Cape Teal	<i>Anas capensis</i>	Kapand			26/12 crater floor 8; 27/12 crater floor lots	
Yellow-billed Duck	<i>Anas undulata</i>	Gulnæbbet And			27/12 crater floor	
Red-billed Duck	<i>Anas erythrorhyncha</i>	Rødnæbbet And			26/12 crater floor 3; 27/12 crater floor 1	24/12 Seronera River
Hottentot Teal	<i>Anas hottentota (punctata)</i>	Hottentotand			26/12 crater floor 24; 27/12 crater floor lots	
Shoveler	<i>Anas clypeata</i>	Skeand				23/12 N of Naabi
Southern Pochard	<i>Netta erythrophthalma</i>	Mørk Taffeland				
Secretarybird	<i>Sagittarius serpentarius</i>	Sekretær	21/12 flew overhead			23/12 Serengeti plain S of Naabi;
Lappet-faced Vulture	<i>Torgos (Aegypius) tracheloitus</i>	Øregrib		22/12 about 10 roosting by campsite	25/12 Serengeti Plain & old; 23/12 crater rim	common
Bateleur	<i>Terathopius ecaudatus</i>	Gøglerørn	21/12 3			4-5 a day
Pallid Harrier	<i>Circus macrourus</i>	Steppehøg				2 males, 5 females (est.)
Montagu's Harrier	<i>Circus pygargus</i>	Hedehøg	21/12 4		common Serengeti; 26/12 crater floor	common (>10)
Marsh Harrier	<i>Circus aeruginosus</i>	Rørhøg			23/12; 26 & 27/12 crater floor female	23/12; 25/12 male nr. Naabi Hill
Gabar Goshawk	<i>Micronisus gabar</i>	Gabarhøg				25/12 Naabi Hill

Dark Chanting Goshawk	<i>Melierax metabates</i>	Mørk Sanghøg		27/12 Keratu	25/12 Serengeti Plain	24/12 Seronera 2
Mountain Buzzard	<i>Buteo oreophilus</i>	Bjergvåge			23/12 Serengeti plain - buzzard sp.	
Augur Buzzard	<i>Buteo augurMelanocorypha</i>	Augurvåge	21/12 nr. Arusha 3; Tarangire 1		Common; 6 on 27/12	
Steppe Eagle	<i>Aquila nipalensis</i>	Steppeørn	21/12		23/12 crater rim	24/12 Seronera
Verreaux's Eagle	<i>Aquila verreauxii</i>	Verreaux Ørn			23/12 crater rim; 26/12 Odeani area	
Martial Eagle	<i>Polemaetus (Hieraaetus) bellicosus</i>	Kampørn			26/12 Odeani area	24/12 Seronera and Wadandu
Pygmy Falcon	<i>Polihierax semitorquatus</i>	Afrikansk Pygmæfalk	21/12			singles
Peregrine Falcon	<i>Falco peregrinus</i>	Vandrefalk			27/12 Olmoti at waterfall	
Hobby	<i>Falco subbuteo</i>	Lærkefalk		27/12 Keratu 2	several	
Greater Kestrel	<i>Falco rupicoloides</i>	Afrikansk Tårnfalk			23 & 25/12 2	25/12 2
Grey Kestrel	<i>Falco ardosiaceus</i>	Grå Tårnfalk				23/12
Lesser Kestrel	<i>Falco naumanni</i>	Lille Tårnfalk	21/12 Maasai Steppe 2			23/12
Grey-breasted Spurfowl	<i>Francolinus rufopictus</i>	Frankolin				24/12 Seronera
Tufted (Helmetted) Guinea Fowl	<i>Numida meleagris</i>	Perlehøne	21/12 common	15	common on plain and crater fl; 25/12 Olduvai Gorge	common
Black Crake	<i>Amaurornis (Porzana) flavirostra</i>	Sort Rørvagtel				23/12 & 25/12 Seronera, singles
Crested (Red-knobbed) Coot	<i>Fulica cristata</i>	Kamblishøne			26/12 crater floor 30; 27/12 crater floor 40	23/12 N of Naabi
Grey Crowned-Crane	<i>Balearica regulorum</i>	Grå Krontrane		2	26/12 50; 27/12 16	23/12 Seronera 2

Kori Bustard	<i>Ardeotis kori</i>	Kori-trappe			5 a day on the plain and 10 crater floor; olduvai	<10 each day
White-bellied Bustard	<i>Eupodotis senegalensis</i>	Rusttoppet Trappe	21/12			25/12
Black-bellied Bustard	<i>Eupodotis melanogaster</i>	Sortbuget Trappe			26/12 & 27/12 crater floor 4	23/12 Seronera campsite 2; 24/12 Seronera 5
Water Thick-knee	<i>Burhinus vermiculatus</i>	Vandtriel				23/12 4 with buffalo
Double-banded Courser	<i>Rhinoptilus africanus</i>	Tobandet Ørkenløbbet				25/12 5
Blacksmith Lapwing	<i>Vanellus (Antibyx) armatus</i>	Broget Vibe	21/12 park 10; Makiyuni 2	3 near Mto-Wa-Mbu; 4	common; 1 flock of 40, otherwise pairs	common
Crowned Lapwing	<i>Vanellus coronatus</i>	Kronvibe	21/12 SW of Arusha 4; Tarangire 6		common	common
Wattled Lapwing	<i>Vanellus senegallus</i>	Savanne Lapvibe			23/12	25/12 17
Ringed Plover	<i>Charadrius hiaticula</i>	Stor Præstekrave			Crater floor	
Kittlitz's Plover	<i>Charadrius pecuarius</i>	Kittlitz Præstekrave		2	26/12 crater floor; 27/12 crater floor 2	
Three-banded Plover	<i>Charadrius tricollaris</i>	Trebåndet Præstekrave				24/12 Wadandu
Chestnut-banded Plover	<i>Charadrius (=venustus) pallidus</i>	Rustbåndet Præstekrave		22/12		
Caspian Plover	<i>Charadrius asiaticus</i>	Kaspisk Præstekrave				23/12 N of Naabi
Little Stint	<i>Calidris minuta</i>	Dværgryle		22/12	26/12 crater floor	23/12 N of Naabi 2
Curlew Sandpiper	<i>Calidris ferruginea</i>	Krumnæbbet Ryle			26/12 crater floor 8	
Greenshank	<i>Tringa nebularia</i>	Hvidklire	21/12		27/12 crater floor	23/12 N of Naabi 2; 24/12 Seronera
Wood Sandpiper	<i>Tringa glareola</i>	Tinksmed	21/12 4	22/12		4-5 a day

Grey-headed Gull	<i>Larus cirrocephalus</i>	Gråhovedet Måge		22/12 15	26/12 lake very common	25/12 2
Black-headed Gull	<i>Larus ridibundus</i>	Hættemåge			26/12 crater floor	23/12
Whiskered Tern	<i>Childonias hybrida</i>	Hvidskægget Terne			Crater - small lake	
White-winged Black Tern	<i>Childonias leucoptera</i>	Hvidvinget Terne				23/12 N of Naabi 5
Chestnut-bellied Sandgrouse	<i>Pterocles exustus</i>	Brunbuget Sandhøne			25/12 Ngorongoro	
Black-faced Sandgrouse	<i>Pterocles decoratus</i>	Hvidbrystet Sandhøne	21/12 5		23/12 5	
Tambourine Dove	<i>Turtur tympanistria</i>	Tamburinedue		22/12 2		
Namaqua Dove	<i>Oena capensis</i>	Namaquadue	21/12 Makiyuni 2			23/12 N of Naabi
Speckled Pigeon	<i>Columba guinea</i>	Guineadue	21/12 nr. Arusha 10	23/12 Keratu 6		
Mourning Collared Dove	<i>Streptopelia decipiens</i>	Guløjet Skoggerdue			25/12 Serengeti Plain	25/12 Naabi Hill 3
Ring-necked Dove	<i>Streptopelia capicola</i>	Savannaskoggerdue	21/12 common SW Arusha	22/12; 27/12 Keratu		24/12 Seronera
Dusky Turtle-Dove	<i>Streptopelia lugens</i>	Mørk Turteldue		27/12 Keratu	26/12 Odeani area 3	
Brown (Meyer's) Parrot	<i>Poicephalus meyeri</i>	Meyers Papagøje Rødhovedet		22/12 2		24/12 Seronera; 25/12
Fischer's Lovebird	<i>Agapornis fischeri</i>	Dværgpapagøje		22/12 several		common
Great Spotted Cuckoo	<i>Clamator glandarius</i>	Skadegøg	21/12			25/12 Naabi Hill
White-browed Coucal	<i>Centropus superciliosus</i>	Hvidbrynet Sporegøg	21/12 3		27/12 crater floor 7	23/12
African Palm-Swift	<i>Cypsiurus parvus</i>	Afrikansk Palmsejler	21/12 4	22/12 3 near Mto-Wa-Mbu; 4		
Mottled Swift	<i>Tachymarptis aequatorialis</i>	Skellet Murseler			26/12 Odeani area	24/12 Seronera

White-rumped Swift	<i>Apus caffer</i>	Hvidrumpet Sejler	21/12 2	22/12		24/12 Seronera
Little Swift	<i>Apus affinis</i>	Lille Sejler	21/12 common nr. Arusha	22/12 Mto-Wa-Mbu; 23/12 100 over the escarpment	25/12 Olduvai Gorge; 26/12 colony at Crater Lodge	23 & 25/12
Speckled Mousebird	<i>Colius striatus</i>	Brun Musefugl				
Blue-naped Mousebird	<i>Urocolius macrourus</i>	Blånakket Musefugl		22/12 near and in Manyara		25/12 2
Narina Trogon	<i>Apaloderma narina</i>	Narinatrogon			26/12	
Lilac-breasted Roller	<i>Coracias caudata</i>	Lillebrystet Ellekrage	21/12 common			common and conspicuous
Rufous-crowned Roller	<i>Coracias naevia</i>	Blåvinget Ellekrage			23/12 Serengeti plain	
Abyssinian Scimitar-bill	<i>Rhinopomastus minor</i>	Rødnæbbet Seglhærfugl		22/12 east of Manyara		23 & 24/12 Seronera
Southern Ground-Hornbill	<i>Bucorvus leadbeateri (cafer)</i>	Kafferhornravn	21/12 5	22/12 3		
Crowned Hornbill	<i>Tockus alboterminatus</i>	Krontoko		22/12		
African Grey Hornbill	<i>Tockus nasutus</i>	Grå Toko		22/12		24/12 Seronera
Silvery-cheeked Hornbill	<i>Ceratogymna (Bycanistes) brevis</i>	Sølvkindet Hornfugl		22 & 23/12 noisy >20		
Red-fronted Barbet	<i>Tricholaema diademata</i>	Diademskægfugl				23/12 Naabi 2; 23/12 Seronera
D'Arnaud's Barbet	<i>Trachyphonus darnaudii</i>	Perleskægfugl		22/12		24/12 Seronera
Golden-tailed Woodpecker	<i>Campethera abingoni</i>	Gyldenhalet Spætte		22/12 east of Manyara		
Green-backed Woodpecker	<i>Campethera cailliautii</i>	Grønrygget Spætte			26/12	23/12 Seronera
White-tailed Lark	<i>Mirafra albicauda</i>	Hvidhalet Busklærke		22/12 east of Manyara		

Rufous-naped Lark	<i>Mirafra africana</i>	Rødnakket Busklærke			25/12 Serenget; 26 & 27/12 crater floor common	common e.g. 15 singing between Seronera and Naabi
Flappet Lark	<i>Mirafra rufocinnamomea</i>	Kanelbusklærke			26/12	
Fawn-colored Lark	<i>Mirafra (Calendulauda) africanoides</i>	Steppe Busklærke			23/12; 26/12 Odeani area	
Fischer's Sparrow-Lark	<i>Eremopterix leucopareia</i>	Savannalærke	21/12 Makiyuni 20		25/12 Serengeti; 26/12 crater floor	common
African Pied Wagtail	<i>Motacilla aguimp</i>	Afrikansk Vipstjært	21/12			
Yellow/Blue-headed Wagtail	<i>Motacilla flava</i>	Gul Vipstjært			26/12 crater floor common	
African (Grasslands) Pipit	€	Savannapiber			26/12 Odeani area; 27/12 crater floor	common
Long-billed Pipit	<i>Anthus similis</i>	Stor Markpiber			25/12 Olduvai Gorge	
Plain-backed Pipit	<i>Anthus leucophrys</i>	Afrikansk Storpiber				23/12 N of Naabi
Red-throated Pipit	<i>Anthus cervinus</i>	Rødstrubet Piber			26/12 Odeani area?	25/12
Bush Pipit	<i>Anthus caffer</i>	Buskpiber				25/12 2
Yellow-throated Longclaw	<i>Macronyx croceus</i>	Gulbrystet Sporepibe			26/12 Odeani area	24/12 Seronera
Banded Martin	<i>Riparia cincta</i>	Stor Digesvale				24/12 Seronera
Wire-tailed Swallow	<i>Hirundo smithii</i>	Trådhalesvale		22/12 Mto-Wa-Mbu		24/12 Seronera
Red-rumped Swallow	<i>Cecropis daurica</i>	Rødrygget Svale	21/12 nr. Arusha 5	22/12	25/12 Olduvai Gorge; 27/12 crater floor	
Mosque Swallow	<i>Hirundo (Cecropis) senegalensis</i>	Savannasvale	21/12	22/12 Mto-Wa-Mbu; reserve		23 & 24/12 Seronera Campsite
Lesser Striped-Swallow	<i>Hirundo (Cecropis) abyssinica</i>	Stribesvale	21/12 3	22/12 Lake Manyara, especially at the lodge		24/12 Seronera visitor centre 2

Rock Martin	<i>Hirundo (Ptyonoprogne) fuligula</i>	Bleg Klippesvale				25/12 Seronera and Naabi Hill
Mountain Greenbul	<i>Andropadus (Pycnonotus) nigriceps</i>	n/a				
Common Bulbul	<i>Pycnonotus barbatus</i>	Almindelig Bulbul	21/12	22/12; 27/12 Keratu	25/12 Olduvai Gorge	24/12 Seronera
Arrow-marked Babbler	<i>Turdoides jardineii</i>	Plettet Larmdrossel			26/12 Odeani area	
White-browed Robin-Chat	<i>Cossypha heuglini</i>	n/a		22/12 2		25/12
Red-backed Scrub Robin	<i>Cercotrichas leucophrys</i>	n/a	21/12			
White-throated Robin (Irania) (Northern)	<i>Irania gutturalis</i>	Hvidhals				
Wheatear	<i>Oenanthe oenanthe</i>	Almindelig Stenpikker	21/12 SW of Arusha			25/12
Pied Wheatear	<i>Oenanthe pleschanka</i>	Nonnestenpikker			25/12 Serengeti Plain	23/12 N of Naabi & 25/12
Schalow's Wheatear	<i>Oenanthe lugubris</i>	Stenpikker			26/12 crater descent	
Capped Wheatear	<i>Oenanthe pileata</i>	Stenpikker			23 & 25/12 Serengeti Plain; 26/12 Odeani area	the common wheatear
Northern Anteater-Chat	<i>Myrmecocichla aethiops</i>	Myrepikker			23/12, fairly common in crater	
Mocking Cliff-Chat	<i>Thamnolaea (Myrmecocichla) cinnamomeiventris</i>	n/a				at Seronera lodge
Large (African Grey) Flycatcher	<i>Bradornis (Melaenornis) microrhynchus</i>	n/a		22/12 1 ad, 1 probable imm		

Silverbird	<i>Empidonis (Bradornis) semipartitus</i>	n/a				Seronera campsite with young
Icterine Warbler	<i>Hippolais icterina</i>	Gulbug				Seronera information centre
Blackcap	<i>Sylvia atricapilla</i>	Munk		23/12 Nr. Keratu		
Trilling Cisticola	<i>Cisticola woosnami</i>	n/a				
Winding Cisticola	<i>Cisticola galactotes</i>	n/a	21/12 common		26/12 Odeani area; 27/12 crater floor	
Stout Cisticola	<i>Cisticola robustus</i>	n/a				23/12 N of Naabi?
Croaking Cisticola	<i>Cisticola natalensis</i>	n/a		22/12		
Rattling Cisticola	<i>Cisticola chinianus</i>	n/a				24/12 Seronera
Fan-tailed Warbler (Zitting Cisticola)	<i>Cisticola juncidis</i>	Cistussanger			27/12 crater floor	common: 24 from Seronera to Naabi
Pectoral-patch Cisticola	<i>Cisticola brunnescens</i>	n/a			26/12 Odeani common; 27/12 crater floor 20	
Tawny-flanked Prinia	<i>Prinia subflava</i>	Almindelig Prinia			27/12 Nainokanoka	
Green-backed Camaroptera	<i>Camaroptera brachyura</i>	n/a		22/12		
Black-headed Apalis	<i>Apalis melanocephala</i>	n/a				
Grey-capped Warbler	<i>Eminia (Hypergerus) lepida</i>	n/a				24/12
Red-faced Crombec	<i>Sylvietta whytii</i>	n/a		23/12 Keratu	25/12 Olduvai Gorge	
Greencap Eremomela	<i>Eremomela scotops</i>	n/a				24/12 Seronera
Brown Warbler	<i>Sylvia (Parisoma) lugens</i>	Brunsnager				24/12

Banded (Parisoma) Warbler	<i>Sylvia (Parisoma) boehmi</i>	Sortstrubbet Sanger		27/12 Keratu?		24/12 Seronera
White-breasted White-eye	<i>Zosterops abyssinicus</i>	Etiopisk Brillefugl				
Montane (Broad-ringed) White-eye	<i>Zosterops poliogaster</i>	Bredringet Brillefugl				
African Yellow White-eye	<i>Zosterops senegalensis</i>	Gul Brillefugl			23/12 at park entrance	
Chin-spot Batis	<i>Batis molitor</i>	Brunstrubbet Batis				23/12 Seronera & 24/12
Northern White-crowned (White-rumped) Shrike	<i>Eurocephalus rueppelli</i>	Hvidgumpet Tornskade	21/12 Makiyuni 3 and in common park	common		common
Magpie Shrike	<i>Corvinella melanoleuca</i>	Broget Tornskade	21/12 4	23/12 near Keratu		24/12 Seronera 2; 25/12
Isabelline (Rufous-tailed) Shrike	<i>Lanius isabellinus</i>	Brun Tornskade		22/12		
Lesser Grey Shrike	<i>Lanius minor</i>	Rosenbrystet Tornskade				
Grey-backed Fiscal	<i>Lanius excubitoroides</i>	Grårygget Tornskade				24/12 Seronera & 25/12
Common Fiscal	<i>Lanius collaris</i>	Sortrygget Tornskade	21/12 4	23/12 near Keratu	common	common
Brubru	<i>Nilaus afer</i>	Nilaus		27/12 near Keratu		
Black-headed Tchagra (Bush Shrike)	<i>Tchagra senegala</i>	Sortkronet Krattornskade				23/12 Naabi & 24/12 Seronera
Brown-crowned Tchagra	<i>Tchagra australis</i>	Brunkronet Krattornskade				
Slate-colored Boubou	<i>Laniarius funebris</i>	Sodbubu				23/12 N of Naabi
Fuelleborn's Boubou	<i>Laniarius fuelleborni</i>	Skovbubu				

Purple-throated Cuckoo-shrike	<i>Campephaga quiscalina</i>	Purpurstrubbet Larvæder				
African Black-headed Oriole	<i>Oriolus larvatus</i>	Østafrikansk Hættepirol				
Pied Crow	<i>Corvus albus</i>	Broget Krage	21/12 nr. Arusha 7	23/12 Keratu 3		
White-necked Raven	<i>Corvus albicollis</i>	Hvidhalset Ravn			26/12 Odeani area; 27/12 Sopa Lodge 7	25/12 near Seronera ?
Cape Crow	<i>Corvus capensis</i>	Afrikansk Råge			27/12 Sopa side of crater floor	
Red-winged Starling	<i>Onychognathus morio</i>	Rødvinget Sortstær			27/12 crater floor	25/12
Greater Blue-eared Glossy-Starling	<i>Lamprotornis chalybaeus</i>	Blåøret Glansstær				24/12 Seronera
Rueppell's Glossy-Starling	<i>Lamprotornis purpuropterus</i>	Blågrøn Glansstær				24/12 Seronera; 25/12
Hildebrandt's Starling	<i>Lamprotornis (Spreo) hildebrandti</i>	Masaiglansstær				
Superb Starling	<i>Lamprotornis superbis</i>	Trefarvet Glansstær	21/12 SW of Arusha and Tarangire, common	common	common	common
Wattled Starling	<i>Creatophora cinerea</i>	Lappestær	21/12	22/12		flocks and colony 150
Red-billed Oxpecker	<i>Buphagus erythrorhynchus</i>	Rødnæbbet Oksehakker		22/12	27/12 crater floor a few	Seronera common
Yellow-billed Oxpecker	<i>Buphagus africanus</i>	Gulnæbbet Oksehakker			27/12 crater floor lots	Seronera common
Eastern Double-collared Sunbird	<i>Cinnyris (Nectarinia) mediocris</i>	Østlig Halsbåndsolflugl			27/12 crater rim and Olmoti	
Mariqua Sunbird	<i>Cinnyris (Nectarinia) mariquensis</i>	Mariquesolflugl		22/12 ?		
Tacazze Sunbird	<i>Nectarinia tacazze</i>	Tacazzesolflugl				

Golden-winged Sunbird	<i>Nectarinia reichenowi</i>	Gyldenvinget Solfugl			27/12 Olmoti	
Red-tufted (Scarlet-tufted Malachite) Sunbird	<i>Nectarinia johnstoni</i>	Smaragdsolfugl				
Grey-headed Sparrow	<i>Passer griseus</i>	Gråhovedet Spurv				
House Sparrow	<i>Passer domesticus</i>	Gråspurv				
White-headed Buffalo-Weaver	<i>Dinemellia dinemelli</i>	Hvidhovedet Bøffelvæver	21/12			23 & 24/12 Seronera
Rufous-tailed Weaver	<i>Histurgops ruficauda</i>	Serengeti Væver				
Grey-headed Social-Weaver	<i>Pseudonigrita arnaudi</i>	Ørkenvæver				24/12 Seronera
Speckle-fronted Weaver	<i>Sporopipes frontalis</i>	Skælhovedet Finkevæver				23-24/12 Seronera campsite breeding
Baglafaecht Weaver	<i>Ploceus baglafaecht</i>	Baglafaecht Væver		23 & 27/12 Nr. Keratu	26/12 Crater rim village, nesting; 27/12 Olmoti	
Black-necked Weaver	<i>Ploceus nigricollis</i>	Brillevæver		22/12		
African Golden-Weaver	<i>Ploceus subaureus</i>	Gylden Væver				
Taveta Golden Weaver	<i>Ploceus castaneiceps</i>	Tavetavæver				
Speke's Weaver	<i>Ploceus spekei</i>	Somalivæver		27/12 Keratu		24/12 Seronera
Village (Black-headed) Weaver	<i>Ploceus cucullatus</i>	Stor Maskevæver		23/12 nr. Manyara		
Red Bishop	<i>Euplectes orix</i>	Oryxvæver		22/12		
White-winged Widowbird	<i>Euplectes albonotatus</i>	Hvidvinget Vidafinke				24/12 Seronera; 25/12 20
Red-collared Widowbird	<i>Euplectes ardens</i>	Rødhalset Vidafinke			27/12 Olmoti	

Jackson's Widowbird	<i>Euplectes jacksoni</i>	Jacksons Vidafinke			26/12 Odeani common; 27/12 crater rim 2	
Red-billed Firefinch	<i>Lagonosticta senegala</i>	Amarant	21/12	22/12 Mto-Wa-Mbu; 23/12 Keratu	25/12 Olduvai Gorge	
Red-cheeked Cordonbleu	<i>Uraeginthus bengalus</i>	Sommerfuglfinke	21/12			24 & 25/12/12 Seronera
Common Waxbill	<i>Estrilda astrild</i>	Helenaastrild				
Streaky Seedeater	<i>Serinus striolatus</i>	Stribet Sisken			23/12	
Kenya Yellow-rumped Seedeater	<i>Serinus reichenowi</i>	Gulgumpet Sisken	21/12	23/12 Keratu		
African Citril	<i>Serinus citrinelloides</i>	Finnæbbet Sisken		23/12 Keratu 2	26/12 Crater rim	
White-bellied Canary	<i>Serinus dorsostriatus</i>	Hvidbuget Sisken		27/12 near Mto-Wa-Mbu	25/12 Olduvai Gorge	23/12
Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	Afrikansk Klippeværting			26/12 crater descent	