

MALAYSIA 1.7 – 27.7.2008

By

Jens Ole Byskov

This is my birdreport of a trip to west Malaysia with my nepalese friend Yak Nath Adhikari. The trip was arranged entirely by myself without use of any guides or travelagents. Malaysia is an easy country to visit. No visa is required and the infrastructure is very good. I visited only 3 places.

TAMAN NEGARA from 1st July to 8th July and again from 22nd July to 27th july. It is a very wellknown national park with lowland rainforest. It is also full of tourists, which desturbed me a lot the first day. But it is possible to find quiet places and good birds. The climate is very hot and humid. It is one of the hardest places I have ever been birdwatching. Lots of birdvoices but very hard to see. But the birds are there, so it is a matter of how long you can stay to be able to find them. I dicided to spend almost two weeks, and I was glad I did. The trails are not the best. It was often raining and full of leaches. The nights were spent at the village Kuala Tahan, where it is possible to find cheap accomodation. Several good and cheap restaurants are found at the river close to the village.

FRAZER'S HILL from the 11TH July to 16TH July. A very wellknown hillstation and birdwatching area.. Birds were easier to see here. The hotels are plentiful but pricier than many other places. Birds can be found anywhere in town and on small trails nearby. The climate is absolute very, very nice with springtemperatures and cool nights. A delight compared to Taman Negara..

KUALA SELANGOR NATURE PARK from 17th July to 19th July. The town is on the coast northwest of Kuala Lumpur. The nature park is in the outskirts of town with hotels and good restaurants in walkingdistance. The park has huts for sleeping. The park has lakes, mangroves and small rivers and swampy vegetation.. There are hides and birdwatchingtowers. The only problem is the big numbers of moskitoes. Be prepared for them.

The rest of the days was spent in busses or Kuala Lumpur.

SPECIES LIST

Abbreviations: TAMAN NEGARA is TN in the report
FRAZER' S HILL is FH
KUALA SELANGOR is KS

Names and systematic are from Birds of South-East Asia by Craig Robson.

- 001 BLUE-BREASTED QUAIL (*Coturnix chinensis*) 4/7 2 TN,
- 002 BARRED BUTTONQUAIL (*Turnix suscitator*) 23/7 2 TN,
- 003 CRESTED PARTRIDGE (*Rollulus rouloul*) 5/7 1 TN, 6/7 5 TN, 23/7 8 TN,
- 004 RED JUNGLEFOWL (*Gallus gallus*) 18/7 1 KS,
- 005 CRESTED FIREBACK (*Lerythrophthalma ignita*) 6/7 25 TN, 7/7 5 TN, 23/7 13 TN, 24/7 1 TN, 27/7 15 TN,
- 006 MOUNTAIN PEACOCK PHEASANT (*Polyplectron inopinatum*) 15/7 3 FH,
- 007 GREAT ARGUS (*Argusianus argus*) 24/7 1 TN
- 008 BUFF-RUMPED WOODPECKER (*Meiglyptes tristis*) 3/7 1 TN,
- 009 BUFF-NECKED WOODPECKER (*Meiglyptes tukki*) 2/7 1 TN, 3/7 2 TN, 5/7 2 TN, 7/7 2 TN, 25/7 3 TN,
- 010 GREY-AND-BUFF WOODPECKER (*Hemicircus concretus*) 4/7 1 TN, 24/7 1 TN,
- 011 GREY-CAPPED PYGMY WOODPECKER (*Dendrocopos canicapillus*) 16/7 1 FH,
- 012 CRIMSON-WINGED WOODPECKER (*Picus puniceus*) 22/7 2 TN, 25/7 2 TN, 27/7 2 TN,
- 013 GREATER YELLOWNAPE (*Picus flavinucha*) 11/7 7 FH, 12/7 3 FH, 13/7 4 FH, 14/7 4 FH, 15/7 4 FH,
- 014 LACED WOODPECKER (*Picus vittatus*) 17/7 1 KS, 19/7 1 KS
- 015 RUFOUS WOODPECKER (*Celeus brachyurus*) 23/7 3 TN, 25/7 2 TN,
- 016 COMMON FLAMEBACK (*Dinopium javanense*) 18/7 3 KS, 19/7 3 KS,
- 017 MAROON WOODPECKER (*Blythipicus rubiginosus*) 15/7 1 FH,
- 018 ORANGE-BACKED WOODPECKER (*Reinwardtipicus validus*) 3/7 3 TN,
- 019 GREAT SLATY WOODPECKER (*Mulleripicus pulverulentus*) 5/7 4 TN,
- 020 FIRE-TUFTED BARBET (*Psilopogon pyrolophus*) 12/7 8 FH, 13/7 4 FH, 14/7 5 FH, 15/7 8 FH, 16/7 1 FH,
- 021 LINEATED BARBET (*Megalaima lineata*) 19/7 1 KS,
- 022 GOLD-WHISKERED BARBET (*Megalaima chrysopogon*) 26/7 5 TN, 27/7 3 TN,
- 023 RED-CROWNED BARBET (*Megalaima rafflesi*) 5/7 1 TN, 27/7 1 TN,

024 RED-THROATED BARBET (*Megalaima mystacophanos*) 23/7 1 TN, 26/7 3 TN, 27/7 1 TN,
025 BLACK-BROWED BARBET (*Megalaima oorti*) 12/7 5 FH, 15/7 1 FH, 16/7 2 FH,
026 YELLOW-CROWNED BARBET (*Megalaima benricii*) 26/73 TN, 27/7 2 TN,
027 BLUE-EARED BARBET (*Megalaima australis*) 26/7 3 TN, 27/7 2 TN,
028 COPPERSMITH BARBET (*Megalaima haemacephala*) 18/7 2 KS, 19/7 1 KS, 26/7 2 TN,
029 BROWN BARBET (*Calorhamphus fuliginosus*) 4/7 1 TN,
030 RHINOCEROS HORNBILL (*Buceros rhinoceros*) 3/7 2 TN, 4/7 2 TN, 25/7 4 TN, 27/7 2 TN
031 WRINKLED HORNBILL (*Aceros corrugatus*) 7/7 5 TN,
032 ORIENTAL PIED HORNBILL (*Anthracoceros albirostris*) 1/7 2 TN, 23/7 3 TN, 24/7 3 TN, 27/7 2 TN,
033 BLACK HORNBILL (*Anthracoceros malayanus*) 4/7 2 TN, 8/7 2 TN, 25/7 1 TN,
034 BUSHY-CRESTED HORNBILL (*Anorrhinus galeritus*) 4/7 5 TN,
035 INDIAN ROLLER (*Coracias benghalensis*) 8/7 1 TN,
036 DOLLARBIRD (*Eurystomus orientalis*) 19/7 1 KS, 26/7 2 TN,
037 RED-NAPED TROGON (*Harpactes kasumba*) 3/7 1 TN,
038. SCARLET-RUMPED TROGON (*Harpactes duvaucelii*) 3/7 1 TN, 5/7 2 TN, 6/7 2 TN, 23/7 1 TN, 24/7 1 TN,
039 RED-HEADED TROGON (*Harpactes erythrocephalus*) 16/7 1 FH,
040 BLUE-EARED KINGFISHER (*Alcedo meninting*) 3/7 1 TN, 4/7 1 TN,
041 RUFOUS-BACKED KINGFISHER (*Ceyx rufidorsa*) 23/7 1 TN,
042 STORK-BILLED KINGFISHER (*Halcyon capensis*) 1/7 1 TN, 8/7 1 TN, 22/7 1 TN, 23/7 1 TN, 24/7 1 TN, 27/7 1 TN,
043 WHITE-THROATED KINGFISHER (*Halcyon smyrnensis*) 5/7 1 TN, 8/7 2 TN, 18/7 1 KS, 19/7 2 KS, 22/7 2 TN, 25/7 1 TN, 26/7 1 TN, 27/7 3 TN,
044 COLLARED KINGFISHER (*Todiramphus chloris*) 18/7 4 KS, 19/7 4 KS, 22/7 1 TN,
045 LARGE HAWK CUCKOO (*Hierococcyx sparverioides*) 16/7 1 FH,
046 MOUSTACHED HAWK CUCKOO (*Hierococcyx vagans*) 6/7 1 TN,
047 ASIAN KOEL (*Eudynamis scolopacea*) 17/7 2 KS, 19/7 1 KS,
048 RUSTY-BREASTED CUCKOO (*Cacomantis sepulcralis*) 25/7 1 TN,
049 LITTLE BRONZE CICKOO (*Chrysococcyx minutillus*) 18/7 2 KS,
050 BLACK-BELLIED MALKOHA (*Phaenicophaeus diardi*) 27/7 2 TN,
051 CHESTNUT-BELLIED MALKOHA (*Phaenicophaeus sumatranus*) 25/7 2 TN,

052 GREEN-BILLED MALKOHA (*Phaenicophaeus tristis*) 12/7 2 FH, 13/7 1 FH,

053 RAFFLES'S MALKOHA (*Phaenicophaeus chlorophaeus*) 2/7 6 TN, 3/7 1 TN, 22/7 3 TN, 24/7 2 TN, 25/7 3 TN,

054 RED-BILLED MALKOHA (*Phaenicophaeus javanicus*) 3/7 1 TN,

055 CHESTNUT-BREASTED MALKOHA (*Phaenicophaeus curvirostris*) 4/7 1 TN, 6/7 1 TN, 22/7 1 TN, 24/7 1 TN, 25/7 1 TN,

056 GREATER COUCAL (*Centropus sinensis*) 4/7 1 TN, 5/7 1 TN, 18/7 1 KS, 24/7 1 TN, 25/7 2 TN,

057 RED-BEARDED BEE-EATER (*Nyctyornis amictus*) 16/7 1 FH, 24/7 1 TN,

058 BLUE-THROATED BEE-EATER (*Merops viridis*) 1/7 10 TN, 2/7 1 TN, 4/7 10 TN, 8/7 2 TN, 18/7 1 KS, 22/7 2 TN, 23/7 1 TN, 24/7 2 TN,

059 BLUE-CROWNED HANGING PARROT (*Loriculus galgulus*) 4/7 15 TN, 5/7 20 TN, 6/7 10 TN, 7/7 10 TN, 24/7 5 TN, 26/7 5 TN,

060 BLACK-NEST SWIFTLET (*Collocalia maxima*) 17/7 25 KS, 18/7 50 KS, 19/7 30 KS, 23/7 35 TN,

061 GLOSSY SWIFTLET (*Collocalia esculenta*) 11/7 25 FH, 12/7 25 FH, 13/7 25 FH, 14/7 25 FH, 15/7 10 FH, 16/7 25 FH,

062 GREY-RUMPED TREESWIFT (*Hemiprocne longipennis*) 1/7 6 TN, 22/7 2 TN,

063 WHISKERED TREESWIFT (*hemiprocne comata*) 3/7 2 TN,

064 SILVER-RUMPED NEEDLETAIL (*Rhaphidura leucopygialis*) 4/7 20 TN, 27/7 15 TN,

065 BROWN-BACKED NEEDLETAIL (*Hirundapus giganteus*) 23/7 15 TN, 25/7 10 TN,

066 ASIAN PALM SWIFT (*Cypsiurus balasiensis*) 4/7 5 TN, 25/7 5 TN,

067 HOUSE SWIFT (*Apus affinis*) 2/7 15 TN, 3/7 10 TN, 4/7 20 TN, 12/7 15 FH, 13/7 15 FH, 14/7 35 FH, 15/7 30 FH, 16/7 10 FH, 17/7 5 KS,

068 MALAYSIAN EARED NIGHTJAR (*Eurostopodus macrotis*) 24/7 8 TN, 26/7 1 TN,

069 GREEN IMPERIAL PIGEON (*Ducula aenea*) 26/7 2 TN, 27/7 5 TN,

070 MOUNTAIN IMPERIAL PIGEON (*Ducula badia*) 11/7 4 FH, 12/7 6 FH, 13/7 1 FH, 15/7 3 FH, 16/7 7 FH, 18/7 8 KS, 19/7 5 KS,

071 SPOTTED DOVE (*Streptopelia chinensis*) 3/7 2 TN, 4/7 5 TN, 6/7 2 TN, 7/7 2 TN, 23/7 1 TN, 25/7 3 TN, 26/7 2 TN, 27/7 5 TN

072 LITTLE CUCKOO DOVE (*Macropygia ruficeps*) 11/7 5 FH, 12/7 4 FH, 13/7 3 FH, 14/7 5 FH, 15/7 4 FH, 16/7 15 FH,

073 PEACEFUL DOVE (*Geopelia striata*) 4/7 2 TN, 17/7 2 KS, 18/7 15 KS, 19/7 10 KS,

074 LITTLE GREEN PIGEON (*Treron olax*) 3/7 4 TN, 6/7 1 TN, 8/7 7 TN, 24/7 7 TN, 25/7 8 TN, 26/7 5 TN,

075 PINK-NECKED GREEN PIGEON (*Treron vernans*) 17/7 4 KS, 18/7 60 KS, 19/7 300 KS,

076 THICK-BILLED GREEN PIGEON (*Treron curvirostra*) 25/7 20 TN, 26/7 25 TN, 27/7 60 TN

077 WEDGE-TAILED GREEN PIGEON (*Treron sphenura*) 2/7 2 TN,

078 EMERALD DOVE (*Chalcophaps indica*) 2/7 1 TN, 4/7 2 TN, 6/7 10 TN, 7/7 2 TN, 8/7 1 TN, 22/7 1 TN, 23/7 2 TN,

079 WHITE-BREASTED WATERHEN (*Amauornis phoenicurus*) 4/7 1 TN, 8/7 1 TN, 17/7 1 KS, 18/7 3 KS, 19/7 1 KS,

080 RED-WATTLED LAPWING (*Vanellus indicus*) 1/7 2 TN,

081 BAT HAWK (*Macheiramphus alcinus*) 1/7 1 TN, 2/7 1 TN,

082 BRAHMINY KITE (*Haliastur indus*) 17/7 4 KS, 18/7 12 KS, 19/7 15 KS,

083 WHITE-BELLIED SEA EAGLE (*Haliaeetus leucogaster*) 18/7 2 KS, 25/7 1 TN, 26/7 1 TN,

084 CRESTED SERPENT EAGLE (*Spilornis cheela*) 19/7 2 KS, 25/7 1 TN,

085 CRESTED GOSHAWK (*Accipiter trivirgatus*) 5/7 1 TN,

086 RUFOUS-BELLIED EAGLE (*Hieraaetus kienerii*) 4/7 1 TN,

087 CHANGEABLE HAWK EAGLE (*Spizaetus cirrhatus*) 8/7 1 TN, 18/7 1 KS, 27/7 1 TN,

088 BLYTH' S HAWK EAGLE (*Spizaetus alboniger*) 16/7 1 FH,

089 BLACK-THIGHED FALCONET (*Microhierax fringillarus*) 1/7 1 TN, 4/7 1 TN, 6/7 1 TN, 25/7 3 TN, 26/7 1 TN, 27/7 1 TN

090 PEREGINE FALCON (*Falco peregrinus*) 19/7 1 KS,

091 GREAT EGRET (*Casmerodius albus*) 17/7 8 KS, 18/7 7 KS, 19/7 8 KS,

092 GREY HERON (*Ardea cinerea*) 17/7 15 KS, 18/7 20 KS, 18/7 20 KS,

093 PURPLE HERON (*Ardea purpurea*) 18/7 2 KS,

094 LITTLE HERON (*Butorides striatus*) 18/7 4 KS, 19/7 3 KS,

095 GREEN BROADBILL (*Calyptomena viridis*) 6/7 1 TN, 22/7 2 TN, 26/7 4 TN,

096 BLACK-AND-RED BROADBILL (*Cymbirhynchus macrorhynchos*) 3/7 1 TN, 6/7 5 TN, 24/7 2 TN, 25/7 4 TN, 27/7 6 TN,

097 LONG-TAILED BROADBILL (*Psarisomus dalhousiae*) 13/7 8 FH,

098 BLACK-AND-YELLOW BROADBILL (*Eurylaimus ochromalus*) 25/7 3 TN, 26/7 1 TN,

099 BANDED BROADBILL (*Eurylaimus javanicus*) 2/7 1 TN, 5/7 4 TN,

100 GREATER GREEN LEAFBIRD (*Chloropsis sonnerati*) 4/7 2 TN, 26/7 2 TN,

101 LESSER GREEN LEAFBIRD (*Chloropsis cyanopogon*) 6/7 3 TN,

102 BLUE-WINGED LEAFBIRD (*Chloropsis cochinchinensis*) 3/7 1 TN, 6/7 3 TN, 12/7 4 FH, 24/7 3 TN, 25/7 3 TN, 26/7 6 TN, 27/7 5 TN

103 ORANGE-BELLIED LEAFBIRD (*Chloropsis hardwickii*) 13/7 3 FH, 14/7 2 FH,

- 104 COMMON IORA (*Aegithina tiphia*) 4/7 1 TN, 6/7 1 TN, 17/7 3 KS, 18/7 5 KS, 19/7 3 KS, 24/7 5 TN,
- 105 ASIAN FAIRY BLUEBIRD (*Irena puella*) 3/7 1 TN, 5/7 2 TN, 6/7 4 TN, 25/7 5 TN, 26/7 12 TN, 27/7 10 TN,
- 106 CRESTED JAY (*Platylophus galericulatus*) 5/7 2 TN,
- 107 BLACK MAGPIE (*Platysmurus leucopterus*) 3/7 3 TN,
- 108 COMMON GREEN MAGPIE (*Cissa chinensis*) 14/7 2 FH,
- 109 HOUSE CROW (*Corvus splendens*) 18/7 25 KS, 19/7 25 KS,
- 110 LARGE-BILLED CROW (*Corvus torquatus*) 8/7 4 TN, 17/7 10 KS, 18/7 20 KS, 19/7 15 KS, 26/7 1 TN, 27/7 1 TN,
- 111 DARK-THROATED ORIOLE (*Oriolus xanthonotus*) 23/7 1 TN,
- 112 BLACK-NAPED ORIOLE (*Oriolus chinensis*) 17/7 3 KS, 18/7 10 KS, 19/7 7 KS,
- 113 BLACK-AND-CRIMSON ORIOLE (*Oriolus cruentus*) 13/7 3 FH,
- 114 JAVAN CUCKOOSHRIKE (*Coracina javensis*) 11/7 2 FH, 16/7 1 FH,
- 115 PIED TRILLER (*Lalage nigra*) 17/7 1 KS, 18/7 1 KS, 19/7 1 KS,
- 116 GREY-CHINNED MINIVET (*Pericrocotus solaris*) 12/7 5 FH, 13/7 10 FH, 14/7 10 FH, 15/7 10 FH, 16/7 10 FH,
- 117 SCARLET MINIVET (*Pericrocotus flammeus*) 4/7 5 TN, 11/7 10 FH, 24/7 1 TN, 25/7 4 TN,
- 118 ASHY DRONGO (*Dicrurus leucophaeus*) 18/7 2 KS,
- 119 BRONZED DRONGO (*dicrurus aeneus*) 3/7 4 TN, 11/7 2 FH, 12/7 4 FH, 13/7 5 FH, 15/7 5 FH, 16/7 6 FH, 25/7 2 TN, 27/7 2 TN
- 120 LESSER RACKET-TAILED DRONGO (*Dicrurus remifer*) 11/7 2 FH, 16/7 1 FH,
- 121 GREATER RACKET-TAILED DRONGO (*Dicrurus paradiseus*) 2/7 1 TN, 3/7 1 TN, 6/7 1 TN, 7/7 4 TN, 14/7 1 FH, 15/7 2 FH, 22/7 3 TN, 23/7 2 TN, 24/7 4 TN, 25/7 5 TN, 26/7 2 TN, 27/7 2 TN
- 122 BLACK-WINGED FLYCATCHER-SHRIKE (*Hemipus hirundinaceus*) 25/7 1 TN, 26/7 1 TN,
- 123 WHITE-THROATED FANTAIL (*Rhipidura albicollis*) 11/7 3 FH, 12/7 3 FH, 13/7 3 FH, 14/7 5 FH, 15/7 6 FH, 16/7 6 FH, 23/7 1 TN,
- 124 PIED FANTAIL (*Rhipidura javanica*) 17/7 2 KS, 18/7 10 KS, 19/7 12 KS,
- 125 SPOTTED FANTAIL (*Rhipidura perlata*) 2/7 4 TN, 5/7 1 TN, 6/7 1 TN, 24/7 2 TN,
- 126 GREY-HEADED CANARY FLYCATCHER (*Culicicapa ceylonensis*) 22/7 1 TN,
- 127 MANGROVE WHISTLER (*Pachycephala grisola*) 18/7 3 KS,
- 128 BLACK-NAPED MONARCH (*Hypothymis azurea*) 2/7 3 TN, 22/7 1 TN, 23/7 1 TN, 24/7 1 TN,
- 129 ASIAN PARADISE-FLYCATCHER (*Terpsiphone paradisi*) 6/7 2 TN, 24/7 5 TN, 26/7 5 TN, 27/7 2 TN

- 130 RUFIOUS-WINGED PHILENTOMA (*Philentoma pyrhopterum*) 2/7 3 TN, 3/7 1 TN, 6/7 2 TN, 22/7 1 TN, 25/7 3 TN,
- 131 MAROON-BREASTED PHILENTOMA (*Philentoma velatum*) 6/7 1 TN, 24/7 1 TN,
- 132 LARGE WOODSHRIKE (*Tephrodornis gularis*) 16/7 2 FH, 25/7 2 TN,
- 133 GREY-CHESTED JUNGLE-FLYCATCHER (*Rhinomyias umbratilis*) 6/7 1 TN,
- 134 RUFIOUS-CHESTED FLYCATCHER (*Ficedula dumetoria*) 4/7 2 TN,
- 135 RUFIOUS-BROWED FLYCATCHER (*Ficedula solitaria*) 13/7 1 FH, 14/7 2 FH, 15/7 3 FH,
- 136 LITTLE PIED FLYCATCHER (*Ficedula westermanni*) 11/7 1 FH, 14/7 2 FH, 15/7 2 FH, 16/7 5 FH,
- 137 VERDITER FLYCATCHER (*Eumyias thalassina*) 14/7 1 FH, 15/7 3 FH,
- 138 LARGE NILTAVA (*Niltava grandis*) 11/7 2 FH, 13/7 1 FH, 15/7 5 FH, 16/7 4 FH,
- 139 RUFIOUS-VENTED NILTAVA (*Niltava sumatrana*) 12/7 1 FH,
- 140 HILL BLUE FLYCATCHER (*Cyornis banyumas*) 16/7 1 FH,
- 141 MALAYSIAN BLUE FLYCATCHER (*Cyornis turcosus*) 4/7 3 TN, 22/7 1 TN,
- 142 TICKELL' S BLUE FLYCATCHER (*Cyornis tickelliae*) 7/7 2 TN, 24/7 2 TN,
- 143 ORIENTAL MAGPIE ROBIN (*Copsychus saularis*) 1/7 5 TN, 2/7 10 TN, 3/7 10 TN, 7/7 10 TN, 11/7 5 FH, 13/7 6 FH, 15/7 15 FH, 16/7 10 FH, 17/7 5 KS, 18/7 10 KS, 19/7 10 KS, 22/7 10 TN, 23/7 15 TN, 24/7 15 TN, 25/7 10 TN, 26/7 10 TN, 27/7 15 TN
- 144 WHITE-RUMPED SHAMA (*Copsychus malabaricus*) 2/7 2 TN, 3/7 5 TN, 5/7 3 TN, 6/7 3 TN, 7/7 5 TN, 17/7 1 KS, 22/7 2 TN, 23/7 1 TN, 24/7 2 TN, 28/7 5 TN, 26/7 4 TN, 27/7 1 TN
- 145 WHITE-TAILED ROBIN (*Myiomela leucura*) 11/7 1 FH,
- 146 CHESTNUT-NAPED FORKTAIL (*Enicurus ruficapillus*) 2/7 1 TN,
- 147 SLATY.BACKED FORKTAIL (*Enicurus schistaceus*) 11/7 2 FH, 15/7 2 FH, 16/7 1 FH,
- 148 WHITE-CROWNED FORKTAIL (*Enicurus leschenaulti*) 25/7 1 TN,
- 149 COMMON MYNA (*Acridotheres tristis*) Common everywhere outside heavy forest.
- 150 JUNGLE MYNA (*Acridotheres fuscus*) 17/7 2 KS, 18/7 50 KS, 19/7 50 KS, 26/7 2 TN,
- 151 ASIAN GLOSSY STARLING (*Aplonis panayensis*) 17/7 30 KS, 18/7 100 KS, 19/7 100 KS,
- 152 BLUE NUTHATCH (*Sitta azurea*) 12/7 1 FH, 15/7 2 FH, 16/ 5 FH,
- 153 GREAT TIT (*Parus major*) 18/7 3 KS,
- 154 SULTAN TIT (*melanochlora sultanea*) 13/7 1 FH, 16/ 2 FH,
- 155 PACIFIC SWALLOW (*Hirundo tahitica*) 1/7 10 TN, 2/7 10 TN, 3/7 6 TN, 4/7 10 TN, 5/7 6 TN, 7/7 5 TN, 11/7 10 FH, 12/7 15 FH, 13/7 10 FH, 14/7 15 FH, 15/7 35 FH, 16/7 5 FH, 17/7 10 KS, 18/7 20 KS, 19/7 20 KS, 22/7 15 TN, 23/7 15 TN, 24/7 10 TN, 25/7 10 TN, 26/7 5 TN, 27/7 5 TN

- 156 RUFIOUS-BELLIED SWALLOW (*Hirundo badia*) 16/7 1 FH
- 157 ORIENTAL WHITE-EYE (*Zosterops palpebrosus*) 17/7 2 KS, 18/7 5 KS,
- 158 BLACK-HEADED BULBUL (*Pycnonotus atriceps*) 2/7 2 TN, 25/7 1 TN, 27/7 4 TN
- 159 SCALY-BREASTED BULBUL (*Pycnonotus squamatus*) 26/7 1 TN, 27/7 2 TN
- 160 GREY-BELLIED BULBUL (*Pycnonotus cyaniventris*) 6/7 1 TN, 7/7 2 TN, 25/7 1 TN, 26/7 1 TN,
- 161 PUFF-BACKED BULBUL (*Pycnonotus eutilotus*) 26/7 3 TN, 27/7 3 TN
- 162 STRIPE-THROATED BULBUL (*Pycnonotus finlaysoni*) 1/7 1 TN, 3/7 1 TN, 4/7 5 TN, 7/7 5 TN, 22/7 1 TN, 26/7 10 TN, 27/7 10 TN
- 163 YELLOW-VENTED BULBUL (*Pycnonotus goiavier*) 1/7 5 TN, 2/7 3 TN, 4/7 10 TN, 5/7 4 TN, 6/7 4 TN, 7/7 10 TN, 11/7 4 FH, 12/7 6 FH, 13/7 2 FH, 15/7 3 FH, 17/7 6 KS, 18/7 10 KS, 19/7 10 KS, 24/7 10 TN, 25/7 5 TN, 26/7 15 TN,
- 164 OLIVE-WINGED BULBUL (*Pycnonotus plumosus*) 4/7 3 TN, 18/7 4 KS, 19/7 2 KS, 24/7 3 TN, 25/7 2 TN,
- 165 CREAM-VENTED BULBUL (*Pycnonotus simplex*) 6/7 1 TN,
- 166 RED-EYED BULBUL (*Pycnonotus brunneus*) 2/7 2 TN, 4/7 5 TN, 6/7 5 TN, 7/7 1 TN, 22/7 1 TN, 24/7 5 TN, 25/7 3 TN, 26/7 15 TN, 27/7 5 TN
- 167 SPECTACLED BULBUL (*Pycnonotus erythrophthalmus*) 1/7 1 TN, 3/7 2 TN, 22/7 1 TN, 24/7 1 TN, 26/7 10 TN, 27/7 8 TN
- 168 STRAW-HEADED BULBUL (*Pycnonotus zeylanicus*) 4/7 2 TN,
- 169 OCHRACEOUS BULBUL (*Alophoixus pallidus*) 12/7 2 FH, 15/7 2 FH, 16/7 4 FH,
- 170 GREY-CHEEKED BULBUL (*Alophoixus bres*) 24/7 1 TN, 25/7 6 TN, 26/7 10 TN, 27/7 3 TN
- 171 YELLOW-BELLIED BULBUL (*Alophoixus phaeocephalus*) 3/7 7 TN, 5/7 1 TN, 6/7 4 TN, 7/7 2 TN, 25/7 2 TN, 27/7 2 TN
- 172 HAIRY-BACKED BULBUL (*Tricholestes criniger*) 6/7 1 TN, 22/7 2 TN,
- 173 STREAKED BULBUL (*Ixos malaccensis*) 6/7 5 TN, 24/7 1 TN, 26/7 2 TN,
- 174 MOUNTAIN BULBUL (*Hypsipetes mccllellandii*) 11/7 6 FH, 13/7 2 FH, 14/7 2 FH, 15/7 4 FH, 16/7 1 FH,
- 175 YELLOW-BELLIED PRINIA (*Prinia flaviventris*) 18/7 2 KS,
- 176 GOLDEN-BELLIED GERYGONE (*Gerygone sulphurea*) 18/7 2 KS,
- 177 MOUNTAIN TAILORBIRD (*Orthotomus cuculatus*) 15/7 2 FH,
- 178 COMMON TAILORBIRD (*Orthotomus sutorius*) 3/7 6 TN, 4/7 5 TN, 5/7 1 TN, 6/7 4 TN, 7/7 2 TN, 14/7 3 FH, 19/7 1 KS, 23/7 2 TN, 24/7 2 TN, 26/7 3 TN,
- 179 DARK-NECKED TAILORBIRD (*Orthotomus atrogularis*) 4/7 5 TN,
- 180 ASHY TAILORBIRD (*Orthotomus ruficeps*) 18/7 15 KS, 19/7 20 KS,
- 181 YELLOW-BELLIED WARBLER (*Abroscopus superciliaris*) 13/7 1 FH, 16/7 7 FH,

- 182 CHESTNUT-CROWNED WARBLER (*Seicercus castaniceps*) 11/7 3 FH, 12/7 1 FH, 13/7 2 FH, 16/7 1 FH,
- 183 RAIL-BABBLER (*Eupetes, macrocerus*) 5/7 1 TN, 24/7 1 TN,
- 184 CHESTNUT-CAPPED LAUGHINGTHRUSH (*Garrulax mitratus*) 11/7 5 FH, 12/7 15 FH, 13/7 20 FH, 14/7 20 FH, 15/7 25 FH, 16/7 20 FH,
- 185 MALAYAN LAUGHINGTHRUSH (*Garrulax peninsulae*) 16/7 3 FH,
- 186 FERRUGINOUS BABBLER (*Trichastoma bicolor*) 2/7 2 TN, 3/7 1 TN, 6/7 1 TN, 22/7 2 TN,
- 187 ABBOTT' S BABBLER (*Malacocincla abbotti*) 4/7 4 TN, 7/7 4 TN, 18/7 5 KS, 22/7 6 TN, 24/7 6 TN, 25/7 5 TN, 26/7 3 TN, 27/7 3 TN
- 188 SHORT-TAILED BABBLER (*Malacocincla malaccensis*) 6/7 1 TN, 24/7 1 TN, 25/7 1 TN,
- 189 BUFF-BREASTED BABBLER (*Pellorneum tickelli*) 11/7 1 FH, 12/7 1 FH, 13/7 4 FH, 14/7 3 FH, 15/7 2 FH,
- 190 BLACK-CAPPED BABBLER (*Pellorneum capistratum*) 6/7 2 TN, 25/7 6 TN,
- 191 STREAKED WREN BABBLER (*Napothera brevicaudata*) 13/7 4 FH,
- 192 GOLDEN BABBLER (*Stachyris chrysaea*) 11/7 3 FH, 12/7 1 FH, 13/7 5 FH, 14/7 7 FH, 15/7 10 FH,
- 193 GREY-THROATED BABBLER(*Stachyris nigriceps*) 15/7 1 FH,
- 194 GREY-HEADED BABBLER (*Stachyris poliocephala*) 6/7 2 TN, 24/7 2 TN,
- 195 WHITE-NECKED BABBLER (*Stachyris leucotis*) 5/7 3 TN,
- 196 BLACK-THROATED BABBLER (*Stachyris nigricollis*) 5/7 2 TN, 24/7 2 TN,
- 197 CHESTNUT-RUMPED BABBLER (*Stachyris maculata*) 6/7 3 TN, 22/7 2 TN,
- 198 CHESTNUT-WINGED BABBLER (*Stachyris erythroptera*) 3/7 5 TN, 5/7 4 TN, 6/7 5 TN, 22/7 5 TN, 24/7 10 TN, 25/7 6 TN, 26/7 2 TN,
- 199 MOUSTACHED BABBLER (*Melacopteron magnirostre*) 3/7 1 TN, 27/7 3 TN
- 200 SOOTY-CAPPED BABBLER (*Melacopteron affine*) 24/7 2 TN,
- 201 SCALY-CROWNED BABBLER (*Melacopteron cinereum*) 2/7 4 TN, 3/7 2 TN, 5/7 2 TN, 6/7 3 TN, 22/7 2 TN, 23/7 3 TN, 24/7 1 TN,
- 202 RUFOUS-CROWNED BABBLER (*Melacopteron magnum*) 7/7 1 TN, 23/7 2 TN,
- 203 STRIPED TIT BABBLER (*Macronous gularis*) 7/7 1 TN, 22/7 3 TN,
- 204 WHITE-BROWED SHRIKE BABBLER (*Pteruthius flaviscapis*) 13/7 1 FH, 16/7 2 FH,
- 205 BLACK-EARED SHRIKE BABBLER (*Pteruthius melanotis*) 11/7 1 FH, 13/7 1 FH, 14/7 5 FH, 15/7 6 FH, 16/7 1 FH,
- 206 BLUE-WINGED MINLA (*Minla cyanouroptera*) 13/7 5 FH, 14/7 4 FH, 15/7 7 FH, 16/7 3 FH,

- 207 BROWN FULVETTA (*Alcippe brunneicauda*) 24/7 1 TN,
- 208 MOUNTAIN FULVETTA (*Alcippe peracensis*) 11/7 4 FH, 12/7 5 FH, 13/7 15 FH, 14/7 15 FH, 15/7 12 FH, 16/7 25 FH,
- 209 LONG-TAILED SIBIA (*Heterophasia picaoides*) 11/7 25 FH, 12/7 30 FH, 13/7 25 FH, 14/7 30 FH, 15/7 20 FH, 16/7 15 FH,
- 210 SILVER-EARED MESIA (*Leiothrix argentauris*) 12/7 15 FH, 13/7 15 FH, 14/7 15 FH, 15/7 15 FH, 16/7 20 FH,
- 211 WHITE-BELLIED YUHINA (*Yuhina zantholeuca*) 13/7 1 FH, 16/7 2 FH, 24/7 2 TN,
- 212 YELLOW-BREASTED FLOWERPECKER (*Prionochilus maculatus*) 5/7 1 TN,
- 213 CRIMSON-BREASTED FLOWERPECKER (*Prionochilus percussus*) 25/7 1 TN,
- 214 YELLOW-VENTED FLOWERPECKER (*Dicaeum chrysorrheum*) 1/7 2 TN, 22/7 1 TN, 26/7 2 TN,
- 215 PLAIN FLOWERPECKER (*Dicaeum concolor*) 26/7 2 TN,
- 216 FIRE-BREASTED FLOWERPECKER (*Dicaeum ignipectus*) 11/7 1 FH, 12/7 5 FH, 13/7 5 FH,
- 217 SCARLET-BACKED FLOWERPECKER (*Dicaeum cruentatum*) 19/7 2 KS,
- 218 PURPLE-THROATED SUNBIRD (*Nectarinia sperata*) 6/7 2 TN,
- 219 BLACK-THROATED SUNBIRD (*Aethopyga saturata*) 11/7 1 FH, 13/7 5 FH, 14/7 5 FH, 15/7 6 FH, 16/7 3 FH,
- 220 BROWN-THROATED SUNBIRD (*Anthreptes malacensis*) 4/7 2 TN, 18/7 6 KS, 19/7 6 KS, 22/7 1 TN,
- 221 RED-THROATED SUNBIRD (*Anthreptes rhodolaema*) 4/7 2 TN,
- 222 RUBY-CHEEKED SUNBIRD (*Anthreptes singalensis*) 17/7 2 KS, 18/7 1 KS, 19/7 1 KS, 24/7 1 TN,
- 223 PURPLE-NAPED SUNBIRD (*Hypogramma hypogrammicum*) 7/7 1 TN, 24/7 2 TN,
- 224 OLIVE-BACKED SUNBIRD (*Nectarinia jugularis*) 18/7 2 KS,
- 225 LONG-BILLED SPIDERHUNTER (*Arachnothera robusta*) 6/7 1 TN, 7/7 1 TN, 25/7 1 TN, 27/7 1 TN
- 226 GREY-BREASTED SPIDERHUNTER (*Arachnothera affinis*) 1/7 1 TN, 4/7 10 TN,
- 227 STREAKED SPIDERHUNTER (*Arachnothera magna*) 11/7 1 FH, 13/7 5 FH, 14/7 6 FH, 15/7 5 FH,
- 228 PADDYFIELD PIPIT (*Anthus rufulus*) 14/7 1 FH, 15/7 3 FH,
- 229 EURASIAN TREE SPARROW (*Passer montanus*) Common everywhere outside heavy forest.
- 230 WHITE-RUMPED MUNIA (*Lonchura striata*) 11/7 2 FH, 12/7 6 FH, 13/7 2 FH, 15/7 5 FH, 27/7 8 TN
- 231 SCALY-BREASTED MUNIA (*Lonchura punctulata*) 1/7 10 TN, 4/7 5 TN, 23/7 2 TN,